

- Foot, J. Z., and Romberg, B. (1965). The utilization of roughage by sheep and the red kangaroo, *Macropus rufus* (Desmarest). *Aust. J. Agric. Res.* **16**, 429-35.
- Forbes, D. K., and Tribe, D. E. (1970). The utilization of roughages by sheep and kangaroos. *Aust. J. Zool.* **18**, 247-56.
- Griffiths, M., McIntosh, D. L., and Leckie, R. M. C. (1972). The mammary glands of the red kangaroo, with observations on the fatty acid components of the milk triglycerides. *J. Zool.* **166**, 265-75.
- Hungate, R. E. (1966). 'The Rumen and its Microbes'. (Academic Press: New York.)
- Leng, R. A. (1970). Formation and production of volatile fatty acids in the rumen. In 'Physiology of Digestion and Metabolism in the Ruminant'. (Ed. A. T. Phillipson.) pp. 406-21. (Oriel Press: Newcastle-upon-Tyne.)
- Leng, R. A., and Leonard, G. K. (1965). Measurement of the rates of production of acetic, propionic and butyric acids in the rumen of sheep. *Br. J. Nutr.* **19**, 469-83.
- Leng, R. A., and Murray, R. M. (1972). Estimation of the fermentation rate in the rumen of sheep using VFA production, carbon dioxide production and methane production. In 'Tracer Studies on Non-protein Nitrogen for Ruminants II'. pp. 21-7. (Int. Atomic Energy Agency, Vienna.)
- McIntosh, D. L. (1966). The digestibility of two roughages and the rates of passage of their residues by the red kangaroo, *Megaleia rufa* (Desmarest), and the Merino sheep. *CSIRO Wildl. Res.* **11**, 125-35.
- Moir, R. J. (1965). The comparative physiology of ruminant-like animals. In 'Physiology of Digestion in the Ruminant'. (Ed. R. W. Dougherty.) Ch. 1. (Butterworth: Washington.)
- Moir, R. J., Somers, M., and Waring, H. (1956). Studies on marsupial nutrition. I. Ruminant-like digestion in a herbivorous marsupial *Setonix brachyurus* (Quoy and Gaimard). *Aust. J. Biol. Sci.* **9**, 293-304.
- Murray, R. M. (1974). Nutrition and digestive function of the ruminant. Ph.D. Thesis, University of New England, Armidale, Australia.
- Murray, R. M., Bryant, A. M., and Leng, R. A. (1976). Rates of production of methane in the rumen and large intestine of sheep. *Br. J. Nutr.* **36**, 1-14.